

## HOW TO ORDER

### Coalescing Filter – M08-M38

Coalescing Numbering System

**M 1 8 – 0 3 – C K 0 0**

**M Unit Function**

M = Coalescing Filter

**1 Family**

8 08 = Miniature  
 18 = Compact  
 28 = Standard

**0 Thread Type**

0 = NPT  
 C = BSPP (ISO, R228 [G Series])

**3 Pipe Size**

1 = 1/8	4 = 1/2
2 = 1/4	6 = 3/4
3 = 3/8	8 = 1

**C Coalescing – DP8 STD**


B = .5 Micron, oil removing  
 C = .01 Micron, oil removing  
 D = .003 Micron, oil adsorption activated carbon

**K Bowls/Drains**

Drains	Plastic w/guard Nitrile Standard	Metal w/sight glass <sup>1</sup> Fluorocarbon Standard
None	C	D
1/8 NPT Female <sup>2</sup>	E	F
Std Auto Drain <sup>2</sup>	G	H
Manual Drain	K	L
Low Flow Auto Drain <sup>2</sup>	N	P
Piston Drain (B08 only)	R	S

<sup>1</sup>M08 Filter has an all metal bowl (no sight gauge)

<sup>2</sup>Except 08 Series



## 0 Options

0 = None

M = No differential pressure indicator  
(For operating pressure over 150 psig [10 bar])

## 0 Options

0 = None

M = No differential pressure indicator  
(For operating pressure over 150 psig [10 bar])

*Note: When selecting from the options columns, please enter letters in alphabetical order, for example:*

**M18 – 03 – L K 0 0**

### **"M" series Coalescing Filters with Type "B" 0.5 micron elements:**

All Wilkinson Type "M" Oil Removal (Coalescing) Filters with Type "B" 0.5 micron elements exceed ISO Class 2 for maximum particle size and concentration of solid contaminants, and exceed Class 3 on maximum oil content (ppm/wt)

### **"M" series Coalescing Filters with Type "C" 0.01 micron elements:**

All Wilkinson Type "M" Oil Removal (Coalescing) Filters with Type "C" 0.01 micron elements exceed ISO Class 1 for maximum particle size and concentration of solid contaminants, and exceed Class 1 on maximum oil content (ppm/wt)

### **"M" Series Adsorption Filters, with Type "D" activated carbon elements:**

All Wilkinson Type "M" adsorption filters with Type "D" activated carbon elements exceed ISO Class 1 on maximum oil content (ppm/wt).

**Note:** All classes above refer to International Standards Organisation (ISO) standard 8573-1:1991 (E), pertaining to maximum particle size and concentration of solid contaminants, and maximum oil content.

